

Milan

LOOM
admirando el arte
del chiaroscuro

LOOM
ADMIRING CHIAROSCURO ART

Este bastidor enmarca un halo de luz que surge del entramado translúcido de las cintas y genera un juego de claroscuros. En esta serie de apliques encintados manualmente encontramos tres tamaños que nos permiten realizar múltiples composiciones, ya que podemos combinarlos en una misma superficie dotándola así de luz y arte. La repetición de la trama equilátera aporta serenidad y paz a la atmósfera.



REF. 6959



REF: 6959

LOOM



REF: 6960


LOOM

This frame creates a halo of light that emerges from its translucent tape design to create a play of chiaroscuro. There are three sizes of manually taped wall lights in this series, allowing many different compositions to be created, since they can be combined on the same surface to provide both light and art. The repetition of the equilateral weave design brings serenity and peace to the atmosphere.



REF. 6958-6959-6960

Loom 45 W.



Código/Code Acabados / Finishes

6958 ● Lacado visón
Mink lacquering (NCS S2005-Y10R)

ESP. Pantalla decorativa traslúcida mediante sistema de cintado realizado artesanalmente en polyscreen anti-UVA sobre aro de madera prensada acabada en lacado visón (NCS S2005-Y10R). Pantalla interior de polimetalmetraquilato (PMMA) traslucido. Base posterior de fijación a pared en madera prensada acabada en lacado visón (NCS S 2005-Y10R).

ENG. Translucent decorative lampshade by means of a handcrafted cinning system, in polyscreen anti-UV resistant on a pressed wood ring finished in mink lacquer (NCS S 2005-Y10R). Inner screen made of translucent polymethyl-methacrylate (PMMA). Rear base for wall mounting in pressed wood finished in mink lacquer (NCS S2005-Y10R).

Datos técnicos / Technical data


Ø454 × 80mm.



1 x LED STRIP 16 W
1.900 lumens
2.700 K | CRI 90
3-step MacAdam | PF. 0,95
Driver DC included
No Dimmable / Not Dimmable

Clase I: Aislamiento básico
Class I: Basic insulation

Loom 60 W.



Código/Code Acabados / Finishes

6959 ● Lacado visón
Mink lacquering (NCS S2005-Y10R)

ESP. Pantalla decorativa traslúcida mediante sistema de cintado realizado artesanalmente en polyscreen anti-UVA sobre aro de madera prensada acabada en lacado visón (NCS S2005-Y10R). Pantalla interior de polimetalmetraquilato (PMMA) traslucido. Base posterior de fijación a pared en madera prensada acabada en lacado visón (NCS S 2005-Y10R).

ENG. Translucent decorative lampshade by means of a handcrafted cinning system, in polyscreen anti-UV resistant on a pressed wood ring finished in mink lacquer (NCS S2005-Y10R). Inner screen made of translucent polymethyl-methacrylate (PMMA). Rear base for wall mounting in pressed wood finished in mink lacquer (NCS S2005-Y10R).

Datos técnicos / Technical data


Ø614 × 90mm.



1 x LED STRIP 22W
2.600 lumens
2.700 K | CRI 90
3-step MacAdam | PF. 0,95
Driver DC included
No Dimmable / Not Dimmable

Clase I: Aislamiento básico
Class I: Basic insulation

Loom 80 W.



Código/Code Acabados / Finishes

6960 ● Lacado visón
Mink lacquering (NCS S2005-Y10R)

ESP. Pantalla decorativa traslúcida mediante sistema de cintado realizado artesanalmente en polyscreen anti-UVA sobre aro de madera prensada acabada en lacado visón (NCS S2005-Y10R). Pantalla interior de polimetalmetraquilato (PMMA) traslucido. Base posterior de fijación a pared en madera prensada acabada en lacado visón (NCS S2005-Y10R).

ENG. Translucent decorative lampshade by means of a handcrafted cinning system, in polyscreen anti-UV resistant on a pressed wood ring finished in mink lacquer (NCS S2005-Y10R). Inner screen made of translucent polymethyl-methacrylate (PMMA). Rear base for wall mounting in pressed wood finished in mink lacquer (NCS S2005-Y10R).

Datos técnicos / Technical data

Ø804 × 90mm.



1 x LED STRIP 29W
3.500 lumens
2.700 K | CRI 90
3-step MacAdam | PF. 0,95
Driver DC included
No Dimmable / Not Dimmable

Clase I: Aislamiento básico
Class I: Basic insulation

Dirección de arte y diseño | Art direction & design: P.A.R
Fotografía | Photography: Enric Badrinas
Textos | Texts: P.A.R

Arquímedes, 24
08097 Hospitalet de Llobregat
Barcelona / Spain
T. +34 93 336 99 66
F. +34 93 336 99 60
milan-iluminacion.com
@milanlighting

BACK COVER PHOTO
FOTO DE CONTRACUBIERTA
REF. 6959

